JOURNAL OF ZOOLOGY

Volume 262 Contents

Part 1, January 2004

Editors' Report i

Cumming, M. S. and Wesołowska, W., Habitat separation in a species-rich assemblage of jumping spiders (Araneae: Salticidae) in a suburban study site in Zimbabwe 1

Fenton, M. B., Jacobs, D. S., Richardson, E. J., Taylor, P. J. and White, W., Individual signatures in the frequency-modulated sweep calls of African large-eared, free-tailed bats *Otomops martiensseni* (Chiroptera: Molossidae) 11

Erickson, G. M., Lappin, A. K., Parker, T. and Vliet, K. A., Comparison of bite-force performance between long-term captive and wild American alligators (*Alligator mississippiensis*) 21

Saska, P. and Honek, A., Development of the beetle parasitoids, *Brachinus explodens* and *B. crepitans* (Coleoptera: Carabidae) 29

Kamimura, Y., Mating behaviour and insemination in *Diplatys flavicollis*, an earwig with double-barrelled penises and a variable number of female sperm-storage organs 37

Attwood, S. W., Upatham, E. S., Zhang, Y.-P., Yang, Z.-Q. and Southgate, V. R., A DNA-sequence based phylogeny for triculine snails (Gastropoda: Pomatiopsidae: Triculinae), intermediate hosts for *Schistosoma* (Trematoda: Digenea): phylogeography and the origin of *Neotricula* 47

Namgail, T., Fox, J. L. and Bhatnagar, Y. V., Habitat segregation between sympatric Tibetan argali *Ovis ammon hodgsoni* and blue sheep *Pseudois nayaur* in the Indian Trans-Himalaya 57

Bonesi, L. and Macdonald, D. W., Evaluation of sign surveys as a way to estimate the relative abundance of American mink (*Mustela vison*) 65

Pike, A. V. L. and Maitland, D. P., Scaling of bird claws 73

Loe, L. E., Meisingset, E. L., Mysterud, A., Langvatn, R. and Stenseth, N. C., Phenotypic and environmental correlates of tooth eruption in red deer (*Cervus elaphus*) 83

Somers, M. J. and Nel, J. A. J., Movement patterns and home range of Cape clawless otters (*Aonyx capensis*), affected by high food density patches 91

Jácomo, A. T. A., Silveira, L. and Diniz-Filho, J. A. F., Niche separation between the maned wolf (*Chrysocyon brachyurus*), the crab-eating fox (*Dusicyon thous*) and the hoary fox (*Dusicyon vetulus*) in central Brazil 99

Part 2, February 2004

Smith, C., Reichard, M., Jurajda, P. and Przybylski, M., Review: The reproductive ecology of the European bitterling (*Rhodeus sericeus*) 107

Ferguson, S. H. and Elkie, P. C., Seasonal movement patterns of woodland caribou (*Rangifer tarandus caribou*) 125

Babik, W. and Rafiński, J., Relationship between morphometric and genetic variation in pure and hybrid populations of the smooth and Montandon's newt (*Triturus vulgaris* and *T. montandoni*) 135

Elissamburu, A. and Vizcaíno, S. F., Limb proportions and adaptations in caviomorph rodents (Rodentia: Caviomorpha) 145

Andersson, K., Predicting carnivoran body mass from a weight-bearing joint 161

Kupfer, A., Kramer, A. and Himstedt, W., Sex-related growth patterns in a caecilian amphibian (genus *Ichthyophis*): evidence from laboratory data 173

Booth-Binczik, S. D., Binczik, G. A. and Labisky, R. F., Lek-like mating in white-nosed coatis (*Nasua narica*): socio-ecological correlates of intraspecific variability in mating systems 179

Korine, C. and Pinshow, B., Guild structure, foraging space use, and distribution in a community of insectivorous bats in the Negev Desert 187

Murray, S. W. and Kurta, A., Nocturnal activity of the endangered Indiana bat (*Myotis sodalis*) 197

Pole, A., Gordon, I. J., Gorman, M. L. and MacAskill, M., Prey selection by African wild dogs (*Lycaon pictus*) in southern Zimbabwe 207

Part 3, March 2004

Sueur, J. and Aubin, T., Acoustic signals in cicada courtship behaviour (order Hemiptera, genus *Tibicina*) 217

Miyashita, T., Maezono, Y. and Shimazaki, A., Silk feeding as an alternative foraging tactic in a kleptoparasitic spider under seasonally changing environments 225

Reiter, G., Postnatal growth and reproductive biology of *Rhinolophus hipposideros* (Chiroptera: Rhinolophidae) 231

Cooper, W. E. Jr, Pérez-Mellado, V. and Vitt, L. J., Ease and effectiveness of costly autotomy vary with predation intensity among lizard populations 243

Herr, J. and Rosell, F., Use of space and movement patterns in monogamous adult Eurasian beavers (*Castor fiber*) 257

Moyaho, A., Garcia, C. M. and Manjarrez, J., Predation risk is associated with the geographic variation of a sexually selected trait in a viviparous fish (*Xenotoca variata*) 265

Belcher, C. A. and Darrant, J. P., Home range and spatial organization of the marsupial carnivore, *Dasyurus maculatus maculatus* (Marsupialia: Dasyuridae) in south-eastern Australia 271

Wassmer, T., Body temperature and above-ground patterns during hibernation in European hamsters (*Cricetus cricetus* L.) 281
Panchetti, F., Amori, G., Carpaneto, G. M. and Sorace, A., Activity patterns of the common dormouse (*Muscardinus avellanarius*) in different Mediterranean ecosystems 289
Maffei, L., Cuéllar, E. and Noss, A., One thousand jaguars (*Panthera onca*) in Bolivia's Chaco? Camera trapping in the Kaa-Iya National Park 295
Bateman, P. W. and Ferguson, J. W. H., Male mate choice in the Botswana armoured ground cricket *Acanthoplus discoidalis* (Orthoptera: Tettigoniidae; Hetrodinae). Can, and how, do males judge female mating history? 305
Gómez-Moliner, B. J., Cabria, M. T., Rubines, J., Garin, I., Madeira, M. J., Elejalde, A., Aihartza, J., Fournier, P. and Palazón, S., PCR-RFLP identification of mustelid species: European mink (*Mustela lutreola*), American mink (*M. vison*) and polecat (*M. putorius*) by analysis of excremental DNA 311
Huber, B. A., Evidence for functional segregation in the directionally asymmetric male genitalia of the spider *Metagonia mariguitarensis* (González-Sponga) (Pholcidae: Araneae) 317

Part 4, April 2004

Nekaris, K. A. I. and Jayewardene, J., Survey of the slender loris (Primates, Lorisidae Gray, 1821: *Loris tardigradus* Linnaeus, 1758 and *Loris lydekkerianus* Cabrera, 1908) in Sri Lanka 327
Clifford, A. B. and Witmer, L. M., Case studies in novel narial anatomy: 2. The enigmatic nose of moose (Artiodactyla: Cervidae: *Alces alces*) 339
Blom, J. and Lilja, C., A comparative study of growth, skeletal development and eggshell composition in some species of birds 361
de Buffrénil, V., Dabin, W. and Zylberberg, L., Histology and growth of the cetacean petro-tympanic bone complex 371
Zahn, A. and Rupp, D., Ectoparasite load in European vespertilionid bats 383
de Waal, H. O., Combrinck, W. J. and Borstlap, D. G., A comprehensive procedure to measure the body dimensions of large African predators with comments on the repeatability of measurements taken from an immobilized African lion (*Panthera leo*) 393
Romañach, S. S. and Le Comber, S. C., Measures of pocket gopher (*Thomomys bottae*) burrow geometry: correlates of fractal dimension 399
Mukherjee, S., Goyal, S. P., Johnsingh, A. J. T. and Pitman, M. R. P. L., The importance of rodents in the diet of jungle cat (*Felis chaus*), caracal (*Caracal caracal*) and golden jackal (*Canis aureus*) in Sariska Tiger Reserve, Rajasthan, India 405
Corti, M., Castiglia, R., Annesi, F. and Verheyen, W., Mitochondrial sequences and karyotypes reveal hidden diversity in African pouched mice (subfamily Cricetomyinae, genus *Saccostomus*) 413